

Connecting**Chemistry**



AUTOMOTIVE NORDIC

Product List

www.brenntag-nordic.com



Automotive

NOx

PRODUCT	DESCRIPTION	APPLICATION	PACKAGING
AdBlue	Urea 32%	Adblue converts harmful NOx from diesel vehicles' exhaust systems to harmless nitrogen and water vapor, thereby significantly reducing emissions of nitrogen oxides (NOx). Approved by VDA.	Can 10 ltr. Drum 208 ltr. IBC 1.000 ltr. Bulk
Urea Solution 40% High Pure Urea Solution 40%	Urea 40%	Reduces NOx emission from marine vessel or diesel exhaust systems.	IBC 1.000 ltr. Bulk

SOx

PRODUCT	DESCRIPTION	APPLICATION	PACKAGING
Sodium hydroxide 50%	Caustic soda solution 50% Chemical name: NaOH	Sodium hydroxide 50% is used in the marine vessel's scrubber system. Reduces SOx emission from marine vessel or diesel exhaust systems.	IBC 1.000 ltr. Bulk
Caustic Soda Pearls	Caustic soda solid form Chemical name: NaOH	Caustic Soda Pearls is used in the marine vessel's scrubber system. Reduces SOx emission from marine vessel or diesel exhaust systems.	Bag 25 kg. Big bag 500 kg / 1.000 kg.
Sodium bicarbonate	Sodium bicarbonate powder Chemical name: NaHCO ₃	Sodium bicarbonate is used in the marine vessel's scrubber system. Reduces SOx emission from marine vessel or diesel exhaust systems.	Bag 25 kg. Big bag 500 kg / 1.000 kg. Bulk
Sodium carbonate	Sodium carbonate powder/ granulate Chemical name: Na ₂ CO ₃	Sodium carbonate is used in the marine vessel's scrubber system. Reduces SOx emission from marine vessel or diesel exhaust systems.	Bag 25 kg. Big bag 500 kg / 1.000 kg. Bulk
Magnesium oxide	Magnesium oxide powder Chemical name: MgO	Magnesium oxide is used in the marine vessel's scrubber system. Reduces SOx emission from marine vessel or diesel exhaust systems.	Bag 25 kg. Big bag 500 kg / 1.000 kg. Bulk

Automotive

ALKYLATE FUEL

PRODUCT	DESCRIPTION	APPLICATION	PACKAGING
Alkylate fuel 2 stroke	Reduces impact on the environment. Cleanest petroleum based product possible. Better for the machines and your health. Uncolored + 2% oil	Alkylate gasoline is good for all small engines. For 2 stroke engines.	Can 5 ltr. / 25 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Alkylate fuel 4 stroke	Reduces impact on the environment. Cleanest petroleum based product possible. Better for the machines and your health. Colored	Alkylate gasoline is good for all smaller engines. For 4 stroke engines.	Can 5 ltr. / 25 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk



HTF

PRODUCT	DESCRIPTION	APPLICATION	PACKAGING
Propycool	Propylene glycol based heat transfer fluid with OAT corrosion inhibitor.	Propycool is used as a heat transfer fluid in cooling-, chiller- and HVAC systems.	Can 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Zitrec F	Propylene glycol based heat transfer fluid (Food)	Zitrec F is found acceptable by NSF International for use as a heat transfer fluid where there is the possibility of incidental food contact.	Can 20 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Etycool	Ethylene glycol based heat transfer fluid with OAT corrosion inhibitor.	Etycool is used as a heat transfer fluid in cooling-, chiller- and HVAC systems.	Can 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Alcocoool KBS	Denaturated alchcohol	Ethanol based heat transfer fluid made for geothermal heating and cooling.	Can 25 ltr. Drum 208 ltr. IBC 1.000 ltr. Bulk
Hycool	Potassium formate based coolant	Hycool is used as a heat transfer fluid in cooling-, chiller- and HVAC systems.	IBC 1.000 ltr.
R134a R404A R410A R407C R449A	Hydroflourcarbon refrigerant gas	Refrigerant gases for systems with high, medium and low tempetures.	Cylinder 5 kg. / 10 kg. / 50 kg. / 800 kg.
R290	Propane	A natural refrigerant suitable for use in a range of refrigeration and airconditioning systems.	Cylinder 5 kg.
Ammonia 99,9%	Ammonia anhydrous Chemical name: NH ₃	Refrigerant gas for systems with high, medium and low tempetures.	Cylinder 10 kg. / 40 kg. / 80 kg. Bulk



Automotive

CARCOOLANT

PRODUCT	DESCRIPTION	APPLICATION	PACKAGING
Coolant BS6580	Standard BS6580 grade. OAT Inhibitor.	BS coolant is an economical coolant concentrate providing frost and corrosion protection. Free from potentially harmful additives such as nitrites, amines and phosphate. Meets BS 6580 standard.	Can 5 ltr. / 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Coolant Longlife	Longlife coolant. OAT Inhibitor.	Longlife coolant is an economical coolant concentrate providing frost and corrosion protection. Meets the approval specification of most major OEM's.	Can 5 ltr. / 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Coolant OEM 774C	OEM quality approved for several major OEM's. Key approvals: BMW, GM, VW.	774C is a previous generation automotive coolant approved by a large number of car and heavy duty OEM. Technology: Combination of mineral (silicate/borate/nitrate) and organic inhibitors.	Can 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Coolant OEM 774F	OEM quality approved for several major OEM's. Key approvals: Jaguar Land Rover, VW, GM, Ford.	Based on patented silicate-free additive technology, OEM 774F provides longlife corrosion protection for all engine metals, including aluminium and ferrous alloys. Technology: Organic inhibitors.	Can 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Coolant OEM 774G	OEM quality approved for several major OEM's. Key approvals: VW	774G is recommended for high-tech engines, where high temperature aluminium protection is important. Technology: Combination of OAT technology with low silicate content.	Can 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk

SCREENWASH

PRODUCT	DESCRIPTION	APPLICATION	PACKAGING
SW Bulk	Denaturated ethanol 96% Uncolored	For production of screenwash.	Bulk
Screenwash -75	Screenwash ready for dilution/use. Includes coloring, perfume and surfactants	Concentrated screenwash suitable for all makes and models. Keeps your windscreen clean.	Can 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Screenwash -21	Screenwash ready for use. Includes coloring, perfume and surfactants	Screenwash ready to use. Suitable for all makes and models. Keeps your windscreen clean.	Can 5 ltr. / 20 ltr. / 60 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk
Screenwash -18	Screenwash ready for use. Includes coloring, perfume and surfactants	Screenwash ready to use. Suitable for all makes and models. Keeps your windscreen clean.	Can 25 ltr. Drum 200 ltr. IBC 1.000 ltr. Bulk





About Brenntag

Brenntag, the global market leader in chemical distribution, covers all major markets with its extensive product and service portfolio. Headquartered in Essen, Germany, the company operates a global network with more than 530 locations in 74 countries. In 2017, the company, which has a global workforce of more than 15,000 employees, generated sales of EUR 11.7 billion (USD 13.3 billion).

Brenntag connects chemical manufacturers and chemical users. The company supports its customers and suppliers with tailor-made distribution solutions for industrial and specialty chemicals. With over 10,000 products and a world-class supplier base, Brenntag offers one-stop-shop solutions to around 185,000 customers. This includes specific application technology, an extensive technical support and value-added services such as just-in-time delivery, product mixing, formulation, repackaging, inventory management and drum return handling.

Long-standing experience and local excellence in the individual countries characterize the global market leader for chemical distribution.

Contact

DENMARK

Brenntag Nordic

Borupvang 5B
2750 Ballerup
Tel: +45 43 29 28 00
Email: automotive@brenntag-nordic.com

NORWAY

Brenntag Nordic AS

Torvliå 2
1740 Borgenhaugen
Tel: +47 69 10 25 00
Email: automotive@brenntag-nordic.com

FINLAND

Brenntag Nordic Oy

Äyritie 16
01510 Vantaa
Tel: +358 9 549 56 40
Email: automotive@brenntag-nordic.com

SWEDEN

Brenntag Nordic AB

Koksgatan 18, Box 50 121
202 11 Malmö
Tel: +46 40 28 73 00
Email: automotive@brenntag-nordic.com

www.brenntag-nordic.com