



Polymers

Injection moulding & Extrusion
Italy

Chimei		ABS	Acrylonitrile Butadiene Styrene	Polylac®
		ASA	Acrylonitrile Styrene Acrylate	Kibilac®
		PC/ABS	Polycarbonate/ABS Alloy	Wonderloy®
		PC	Polycarbonate	Wonderlite®
		PMMA	Polymethyl Methacrylate General Purpose	Acryrex®
		PS	Polystyrene	Polyrex®
		SAN	Styrene Acrylonitrile	Kibisan®
		SBC	Styrene Butadiene Copolymer	Kibiton®
		SBS	Styrene Butadiene Styrene	Kibiton®
		SMMA	Styrene Methylmethacrylate	Acrystex®
Sabic		POM	Polyoximethylene, acetal copolymer	Sabic® POM
Evonik		PA12	Polyamide 12	Vestamid®
		PBT	Polybutylene Terephthalate	Vestodur®
		PA Tr	Amorphous Transparent Polyamide	Trogamid®
Grafe		PMMA Compounds		
Kuraray		PMMA-HI	Polymethyl Methacrylate High Impact	PARAPET™
		PMMA soft	Flexible Acrylic Resin	PARAPET™ SA
Formosa		ASA matte	Acrylonitrile Styrene Acrylate	Tairilac®
Denka		MABS	Methylmethacrylate Acrylonitrile Butadiene Styrene	Denka CL®
		MS resin	Methylmethacrylate Styrene Copolymer	Denka TX POLYMER®
Hubron		BM-Black Masterbatch	Carbon Black Masterbatches	PEB, PVB, PPB, PAB, NBB, PSB, PLB, PBAB
		Compounds	Conductive Carbon Black Compounds	
		Customized solutions	Tailor made black masterbatch	
Brenntag		EVA	Ethylene Vinyl Acetate - Low VA content	EVA
			Ethylene Vinyl Acetate - High VA content	
		PA Compounds	Glass Fiber Reinforced	Nylaforce®
			Magnetically Detectable Compounds	Alamid®
		Electrically conductive/Electrically insulating	Thermoforce®	





Contact

Brenntag S.p.A.

Headquarter

Milanofiori Strada 6 - Palazzo A/13
20057 Assago (MI) - Italy

Polymers Department

Telefono +39 02483330

polymers@brenntag.it

[brenntag.com](https://www.brenntag.com)

